

Package: disbayes (via r-universe)

October 26, 2024

Title Bayesian Multi-State Modelling of Chronic Disease Burden Data

Date 2023-09-09

Version 1.1.0

Description Estimation of incidence and case fatality for a chronic disease, given partial information, using a multi-state model. Given data on age-specific mortality and either incidence or prevalence, Bayesian inference is used to estimate the posterior distributions of incidence, case fatality, and functions of these such as prevalence. The methods are described in Jackson et al. (2023) [doi:10.1093/jrssa/qnac015](https://doi.org/10.1093/jrssa/qnac015).

License GPL-3

Encoding UTF-8

LazyData true

Biarch true

Depends R (>= 3.5.0)

Imports dplyr, tidyr, magrittr, tibble, generics, methods, Rcpp (>= 0.12.0), rstan (>= 2.26.0), mgcv, SHELF, ggplot2, loo, matrixStats

LinkingTo BH (>= 1.66.0), Rcpp (>= 0.12.0), RcppParallel, RcppEigen (>= 0.3.3.3.0), rstan (>= 2.26.0), StanHeaders (>= 2.26.0)

Suggests knitr, rmarkdown, rstantools (>= 2.0.0.9000), tempdisagg, testthat, codetools

VignetteBuilder knitr

SystemRequirements GNU make

URL <https://chjackson.github.io/disbayes/>

BugReports <https://github.com/chjackson/disbayes/issues>

RoxygenNote 7.2.3

Repository <https://chjackson.r-universe.dev>

RemoteUrl <https://github.com/chjackson/disbayes>

RemoteRef HEAD
RemoteSha 99c880c5adc14be30a6219b5c1f95c5f714b66a6

Contents

disbayes-package	2
ci2num	3
conflict_disbayes	4
disbayes	5
disbayes_hier	10
ihdengland	17
ihdtrends	18
loo.disbayes	19
loo_indiv	19
plot.disbayes	20
plot.disbayes_hier	21
plotfit_data_disbayes	21
plotfit_disbayes	22
tidy.disbayes	22
tidy_obsdat	24
Index	25

disbayes-package	<i>The 'disbayes' package.</i>
------------------	--------------------------------

Description

Bayesian evidence synthesis for chronic disease epidemiology

References

Stan Development Team (2019). RStan: the R interface to Stan. R package version 2.19.2.
<https://mc-stan.org>

ci2num	<i>Convert a proportion and credible interval to a numerator and denominator</i>
--------	--

Description

Estimate the number of events and denominator that contain roughly equivalent information to an estimate and uncertainty interval for a proportion, by interpreting the estimate and interval as a Beta posterior arising from a vague Beta(0.5,0.5) prior updated with the data consisting of that number and denominator.

Usage

```
ci2num(est, lower, upper, epsilon = 0.5, denom0 = 1000)
```

Arguments

est	Point estimate
lower	Lower 95% credible limit
upper	Upper 95% credible limit
epsilon	If any of lower are zero, then they are replaced by the minimum of epsilon and est/2. Similarly values of 1 for upper are replaced by the maximum of 1-epsilon and (1+est)/2.
denom0	Denominator to use as a default when the point estimate is exactly 0 or 1 (which is not compatible with the beta distribution). Should correspond to a guess of the population size used to produce the estimate, which should be no greater than the actual population of the area, and usually less. Should be either a scalar, or a vector of the same length as est (though note if it is a vector, then only the elements where est is 1 or 0 get used).

Details

Based on fitting a Beta distribution by least squares, using the method provided by the **SHELF** package.

Requires that the estimate and upper and lower limits are all distinct (except that est=0 is allowed and handled specially for convenience, see denom0). Vectors of estimates and limits may be supplied.

Value

A data frame with elements num and denom corresponding to the supplied estimate and limits.

References

Oakley (2020). SHELF: Tools to Support the Sheffield Elicitation Framework. R package version 1.7.0. <https://CRAN.R-project.org/package=SHELF>

Examples

```
est <- 3.00 / 100
upper <- 3.52 / 100
lower <- 2.60 / 100
ci2num(est, lower, upper)
```

conflict_disbayes	<i>Conflict p-values</i>
-------------------	--------------------------

Description

A test of the hypothesis that the direct data on a disease outcome give the same information about that outcome as an indirect evidence synthesis obtained from a fitted [disbayes](#) model. The outcome may be annual incidence, mortality, remission probabilities, or prevalence.

Usage

```
conflict_disbayes(x, varname)
```

Arguments

x	A fitted disbayes model.
varname	Either inc, prev, mort or rem.

Details

Hierarchical models are not currently supported in this function.

Value

A data frame with columns indicating age, gender and area.

p1 is a "one-sided" p-value for the null hypothesis that $r_{obs} = r_{fit}$ against the alternative that $r_{obs} > r_{fit}$,

p2 is the two-sided p-value for the null hypothesis that $r_{obs} = r_{fit}$ against the alternative that r_{obs} is not equal to r_{fit} ,

where r_{obs} is the rate informed only by direct data, and r_{fit} is the rate informed by evidence synthesis. Therefore if the evidence synthesis excludes the direct data, then these are interpreted as "conflict" p-values (see Presanis et al. 2013).

In each case, a small p-value favours the alternative hypothesis.

References

Presanis, A. M., Ohlssen, D., Spiegelhalter, D. J. and De Angelis, D. (2013) Conflict diagnostics in directed acyclic graphs, with applications in Bayesian evidence synthesis. *Statistical Science*, 28, 376-397.

disbayes	<i>Bayesian estimation of chronic disease epidemiology from incomplete data</i>
----------	---

Description

Estimates a three-state disease model from incomplete data. It is designed to estimate case fatality and incidence, given data on mortality and at least one of incidence and prevalence. Remission may also be included in the data and modelled.

Usage

```
disbayes(  
  data,  
  inc_num = NULL,  
  inc_denom = NULL,  
  inc_prob = NULL,  
  inc_lower = NULL,  
  inc_upper = NULL,  
  prev_num = NULL,  
  prev_denom = NULL,  
  prev_prob = NULL,  
  prev_lower = NULL,  
  prev_upper = NULL,  
  mort_num = NULL,  
  mort_denom = NULL,  
  mort_prob = NULL,  
  mort_lower = NULL,  
  mort_upper = NULL,  
  rem_num = NULL,  
  rem_denom = NULL,  
  rem_prob = NULL,  
  rem_lower = NULL,  
  rem_upper = NULL,  
  age = "age",  
  cf_model = "smooth",  
  inc_model = "smooth",  
  rem_model = "const",  
  prev_zero = FALSE,  
  inc_trend = NULL,  
  cf_trend = NULL,  
  cf_init = 0.01,  
  eqage = 30,  
  eqagehi = NULL,  
  sprior = c(1, 1, 1),  
  hp_fixed = NULL,  
  rem_prior = c(1.1, 1),
```

```

    inc_prior = c(2, 0.1),
    cf_prior = c(2, 0.1),
    method = "opt",
    draws = 1000,
    iter = 10000,
    stan_control = NULL,
    bias_model = NULL,
    ...
  )

```

Arguments

data	<p>Data frame containing some of the variables below. The variables below are provided as character strings naming columns in this data frame. For each disease measure available, one of the following three combinations of variables must be specified:</p> <p>(1) numerator and denominator (2) estimate and denominator (3) estimate with lower and upper credible limits.</p> <p>Mortality must be supplied, and at least one of incidence and prevalence. If remission is assumed to be possible, then remission data should also be supplied (see below).</p> <p>Estimates refer to the probability of having some event within a year, rather than rates. Rates per year r can be converted to probabilities p as $p = 1 - \exp(-r)$, assuming the rate is constant within the year.</p> <p>For estimates based on registry data assumed to cover the whole population, then the denominator will be the population size.</p>
inc_num	Numerator for the incidence data, assumed to represent the observed number of new cases within a year among a population of size <code>inc_denom</code> .
inc_denom	<p>Denominator for the incidence data.</p> <p>The function <code>ci2num</code> can be used to convert a published estimate and interval for a proportion to an implicit numerator and denominator.</p> <p>Note that to include extra uncertainty beyond that implied by a published interval, the numerator and denominator could be multiplied by a constant, for example, multiplying both the numerator and denominator by 0.5 would give the data source half its original weight.</p>
inc_prob	Estimate of the incidence probability
inc_lower	Lower credible limit for the incidence estimate
inc_upper	Upper credible limit for the incidence estimate
prev_num	Numerator for the estimate of prevalence, i.e. number of people currently with a disease.
prev_denom	Denominator for the estimate of prevalence (e.g. the size of the survey used to obtain the prevalence estimate)
prev_prob	Estimate of the prevalence probability
prev_lower	Lower credible limit for the prevalence estimate
prev_upper	Upper credible limit for the prevalence estimate

mort_num	Numerator for the estimate of the mortality probability, i.e number of deaths attributed to the disease under study within a year
mort_denom	Denominator for the estimate of the mortality probability (e.g. the population size, if the estimates were obtained from a comprehensive register)
mort_prob	Estimate of the mortality probability
mort_lower	Lower credible limit for the mortality estimate
mort_upper	Upper credible limit for the mortality estimate
rem_num	Numerator for the estimate of the remission probability, i.e number of people observed to recover from the disease within a year. Remission data should be supplied if remission is permitted in the model, either as a numerator and denominator or as an estimate and lower credible interval. Conversely, if no remission data are supplied, then remission is assumed to be impossible. These "data" may represent a prior judgement rather than observation - lower denominators or wider credible limits represent weaker prior information.
rem_denom	Denominator for the estimate of the remission probability
rem_prob	Estimate of the remission probability
rem_lower	Lower credible limit for the remission estimate
rem_upper	Upper credible limit for the remission estimate
age	Variable in the data indicating the year of age. This must start at age zero, but can end at any age.
cf_model	Model for how case fatality rate varies with age. "smooth" (the default). Case fatality rate is modelled as a smooth function of age, using a spline. "indep" Case fatality rates are estimated independently for each year of age. This may be useful for determining how much information is in the data. That is, if the posterior from this model is identical to the prior for a certain age, then there is no information in the data alone about case fatality at that age, indicating that some other structural assumption (such as a smooth function of age) or external data are required to give more precise estimates. "increasing" Case fatality rate is modelled as a smooth and increasing function of age. "const" Case fatality rate is modelled as constant with age.
inc_model	Model for how incidence rates vary with age. "smooth" (the default). Incidence rates are modelled as a smooth spline function of age. "indep" Incidence rates for each year of age are estimated independently.
rem_model	Model for how remission rates vary with age, which are typically less well-informed by data, compared to incidence and case fatality. "const" (the default). Constant remission rate over all ages. "smooth" Remission rates are modelled as a smooth spline function of age. "indep" Remission rates estimated independently over all ages.

prev_zero	If TRUE, attempt to estimate prevalence at age zero from the data, as part of the Bayesian model, even if the observed prevalence is zero. Otherwise (the default) this is assumed to be zero if the count is zero, and estimated otherwise.
inc_trend	<p>Matrix of constants representing trends in incidence through calendar time by year of age. There are nage rows and nage columns, where nage is the number of years of age represented in the data. The entry in the ith row and jth column represents the ratio between the incidence nage+j years prior to the year of the data, year, and the incidence in the year of the data, for a person i-1 years of age. For example, if nage=100 and the data refer to the year 2017, then the first column refers to the year 1918 and the last (100th) column refers to 2017. The last column should be all 1, unless the current data are supposed to be biased.</p> <p>To produce this format from a long data frame, filter to the appropriate outcome and subgroup, and use <code>pivot_wider</code>, e.g.</p> <pre>trends <- ihdtrends filter(outcome=="Incidence", gender=="Female") pivot_wider(names_from="year", values_from="p2017") select(-age, -gender, -outcome) as.matrix()</pre>
cf_trend	Matrix of constants representing trends in case fatality through calendar time by year of age, in the same format as inc_trend.
cf_init	Initial guess at a typical case fatality value, for an average age.
eqage	Case fatalities (and incidence and remission rates) are assumed to be equal for all ages below this age, inclusive, when using the smoothed model.
eqagehi	Case fatalities (and incidence and remission rates) are assumed to be equal for all ages above this age, inclusive, when using the smoothed model.
sprior	<p>Rates of the exponential prior distributions used to penalise the coefficients of the spline model. The default of 1 should adapt appropriately to the data, but Higher values give stronger smoothing, or lower values give weaker smoothing, if required.</p> <p>This can be a named vector with names "inc", "cf", "rem" in any order, giving the prior smoothness rates for incidence, case fatality and remission. If any of these are not smoothed they can be excluded, e.g. <code>sprior = c(cf=10, inc=1)</code>.</p> <p>This can also be an unnamed vector of three elements, where the first refers to the spline model for incidence, the second for case fatality, the third for remission. If one of the rates (e.g. remission) is not being modelled with a spline, any number can be supplied here and it is just ignored.</p>
hp_fixed	<p>A list with one named element for each hyperparameter to be fixed. The value should be either</p> <ul style="list-style-type: none"> • a number (to fix the hyperparameter at this number) • TRUE (to fix the hyperparameter at the posterior mode from a training run where it is not fixed) <p>If the element is either NULL, FALSE, or omitted from the list, then the hyperparameter is given a prior and estimated as part of the Bayesian model.</p> <p>The hyperparameters that can be fixed are</p> <ul style="list-style-type: none"> • scf Smoothness parameter for the spline relating case fatality to age. • sinc Smoothness parameter for the spline relating incidence to age.

Description

A variant of [disbayes](#) in which data from different areas can be related in a hierarchical model and, optionally, the effect of gender can be treated as additive with the effect of area. This is much more computationally intensive than the basic model in [disbayes](#). Time trends are not supported in this function.

Usage

```
disbayes_hier(  
  data,  
  group,  
  gender = NULL,  
  inc_num = NULL,  
  inc_denom = NULL,  
  inc_prob = NULL,  
  inc_lower = NULL,  
  inc_upper = NULL,  
  prev_num = NULL,  
  prev_denom = NULL,  
  prev_prob = NULL,  
  prev_lower = NULL,  
  prev_upper = NULL,  
  mort_num = NULL,  
  mort_denom = NULL,  
  mort_prob = NULL,  
  mort_lower = NULL,  
  mort_upper = NULL,  
  rem_num = NULL,  
  rem_denom = NULL,  
  rem_prob = NULL,  
  rem_lower = NULL,  
  rem_upper = NULL,  
  age = "age",  
  cf_init = 0.01,  
  eqage = 30,  
  eqagehi = NULL,  
  cf_model = "default",  
  inc_model = "smooth",  
  rem_model = "const",  
  prev_zero = FALSE,  
  sprior = c(1, 1, 1),  
  hp_fixed = NULL,  
  nfold_int_guess = 5,  
  nfold_int_upper = 100,  
  nfold_slope_guess = 5,  
  nfold_slope_upper = 100,  
  mean_int_prior = c(0, 10),  
  mean_slope_prior = c(5, 5),
```

```

gender_int_priorsd = 0.82,
gender_slope_priorsd = 0.82,
inc_prior = c(1.1, 0.1),
rem_prior = c(1.1, 1),
method = "opt",
draws = 1000,
iter = 10000,
stan_control = NULL,
...
)

```

Arguments

data	<p>Data frame containing some of the variables below. The variables below are provided as character strings naming columns in this data frame. For each disease measure available, one of the following three combinations of variables must be specified:</p> <p>(1) numerator and denominator (2) estimate and denominator (3) estimate with lower and upper credible limits.</p> <p>Mortality must be supplied, and at least one of incidence and prevalence. If remission is assumed to be possible, then remission data should also be supplied (see below).</p> <p>Estimates refer to the probability of having some event within a year, rather than rates. Rates per year r can be converted to probabilities p as $p = 1 - \exp(-r)$, assuming the rate is constant within the year.</p> <p>For estimates based on registry data assumed to cover the whole population, then the denominator will be the population size.</p>
group	Variable in the data representing the area (or other grouping factor).
gender	<p>If NULL (the default) then the data are one homogenous gender, and there should be one row per year of age. Otherwise, set gender to a character string naming the variable in the data representing gender (or other categorical grouping factor). Gender will then treated as a fixed additive effect, so the linear effect of gender on log case fatality is the same in each area. The data should have one row per year of age and gender.</p>
inc_num	Numerator for the incidence data, assumed to represent the observed number of new cases within a year among a population of size inc_denom.
inc_denom	<p>Denominator for the incidence data.</p> <p>The function <code>ci2num</code> can be used to convert a published estimate and interval for a proportion to an implicit numerator and denominator.</p> <p>Note that to include extra uncertainty beyond that implied by a published interval, the numerator and denominator could be multiplied by a constant, for example, multiplying both the numerator and denominator by 0.5 would give the data source half its original weight.</p>
inc_prob	Estimate of the incidence probability
inc_lower	Lower credible limit for the incidence estimate
inc_upper	Upper credible limit for the incidence estimate

prev_num	Numerator for the estimate of prevalence, i.e. number of people currently with a disease.
prev_denom	Denominator for the estimate of prevalence (e.g. the size of the survey used to obtain the prevalence estimate)
prev_prob	Estimate of the prevalence probability
prev_lower	Lower credible limit for the prevalence estimate
prev_upper	Upper credible limit for the prevalence estimate
mort_num	Numerator for the estimate of the mortality probability, i.e number of deaths attributed to the disease under study within a year
mort_denom	Denominator for the estimate of the mortality probability (e.g. the population size, if the estimates were obtained from a comprehensive register)
mort_prob	Estimate of the mortality probability
mort_lower	Lower credible limit for the mortality estimate
mort_upper	Upper credible limit for the mortality estimate
rem_num	Numerator for the estimate of the remission probability, i.e number of people observed to recover from the disease within a year. Remission data should be supplied if remission is permitted in the model, either as a numerator and denominator or as an estimate and lower credible interval. Conversely, if no remission data are supplied, then remission is assumed to be impossible. These "data" may represent a prior judgement rather than observation - lower denominators or wider credible limits represent weaker prior information.
rem_denom	Denominator for the estimate of the remission probability
rem_prob	Estimate of the remission probability
rem_lower	Lower credible limit for the remission estimate
rem_upper	Upper credible limit for the remission estimate
age	Variable in the data indicating the year of age. This must start at age zero, but can end at any age.
cf_init	Initial guess at a typical case fatality value, for an average age.
eqage	Case fatalities (and incidence and remission rates) are assumed to be equal for all ages below this age, inclusive, when using the smoothed model.
eqagehi	Case fatalities (and incidence and remission rates) are assumed to be equal for all ages above this age, inclusive, when using the smoothed model.
cf_model	The following alternative models for case fatality are supported: "default" (the default). Random intercepts and slopes, and no further restriction. "interceptonly". Random intercepts, but common slopes. "increasing". Case fatality is assumed to be an increasing function of age (note it is constant below "eqage" in all models) with a common slope for all groups. "common" Case fatality is an unconstrained function of age which is common to all areas, i.e. it has the same parameter values in every area. This and

	<p>"increasing_common" are used in situations where you want to compare a model with area-specific rates with a single model for the data aggregated over areas. Modelling the area-disaggregated data using a common function for all areas is equivalent to a model for the aggregated data, and can be statistically compared (using cross-validation) with a model with area-specific rates.</p> <p>"increasing_common" Case fatality is an increasing function of age which is common to all areas.</p> <p>"const" Case fatality is assumed to be constant with age, for all ages, but different in each area.</p> <p>"const_common" Case fatality is a constant over all ages and areas.</p> <p>In all models, case fatality is a smooth function of age.</p>
inc_model	<p>Model for how incidence varies with age.</p> <p>"smooth" (the default). Incidence is modelled as a smooth spline function of age, independently for each area (and gender).</p> <p>"indep" Incidence rates for each year of age, area (and gender) are estimated independently.</p>
rem_model	<p>Model for how remission varies with age. Currently supported models are "const" for a constant remission rate over all ages, "const" for a smooth spline, or "indep" for a different remission rates estimated independently for each age with no smoothing.</p>
prev_zero	<p>If TRUE, attempt to estimate prevalence at age zero from the data, as part of the Bayesian model, even if the observed prevalence is zero. Otherwise (the default) this is assumed to be zero if the count is zero, and estimated otherwise.</p>
sprior	<p>Rates of the exponential prior distributions used to penalise the coefficients of the spline model. The default of 1 should adapt appropriately to the data, but Higher values give stronger smoothing, or lower values give weaker smoothing, if required.</p> <p>This can be a named vector with names "inc", "cf", "rem" in any order, giving the prior smoothness rates for incidence, case fatality and remission. If any of these are not smoothed they can be excluded, e.g. <code>sprior = c(cf=10, inc=1)</code>.</p> <p>This can also be an unnamed vector of three elements, where the first refers to the spline model for incidence, the second for case fatality, the third for remission. If one of the rates (e.g. remission) is not being modelled with a spline, any number can be supplied here and it is just ignored.</p>
hp_fixed	<p>A list with one named element for each hyperparameter to be fixed. The value should be either</p> <ul style="list-style-type: none"> • a number (to fix the hyperparameter at this number) • TRUE (to fix the hyperparameter at the posterior mode from a training run where it is not fixed) <p>If the element is either NULL, FALSE, or omitted from the list, then the hyperparameter is given a prior and estimated as part of the Bayesian model.</p> <p>The hyperparameters that can be fixed are</p> <ul style="list-style-type: none"> • <code>scf</code> Smoothness parameter for the spline relating case fatality to age. • <code>sinc</code> Smoothness parameter for the spline relating incidence to age.

References

Jackson C, Zapata-Diomed B, Woodcock J. "Bayesian multistate modelling of incomplete chronic disease burden data" <https://arxiv.org/abs/2111.14100>

ihdengland

Ischemic heart disease in England

Description

Ischemic heart disease in England

Usage

ihdengland

Format

A data frame with columns:

sex: "male" or "female".

ageyr. Year of age.

location. Name of the location, which is either a city region or region in England.

num_mort. Numerator behind the estimate of mortality

num_inc. Numerator behind the estimate of incidence

num_prev. Numerator behind the estimate of prevalence

denom_mort. Denominator behind the estimate of mortality

denom_inc. Denominator behind the estimate of incidence

denom_prev. Denominator behind the estimate of prevalence

Details

The data were processed to

- * change the geography to refer to England city regions and the remaining English regions,

- * change counts by 5-year age groups to estimated 1-year counts,

- * obtain estimated numerators and denominators from the published point estimates and uncertainty intervals. A point estimate of the risk is equivalent to the numerator divided by the denominator. The denominator is related to the extent of uncertainty around this estimate, and obtained using the Bayesian method implemented in [ci2num](#).

The script given in https://github.com/chjackson/disbayes/blob/master/data-raw/gbd_process.Rmd shows these steps.

Source

Global Burden of Disease, 2017

References

Jackson C, Zapata-Diomed B, Woodcock J. "Bayesian multistate modelling of incomplete chronic disease burden data" <https://arxiv.org/abs/2111.14100>.

ihdtrends

Trends in ischemic heart disease in England

Description

Trends in ischemic heart disease in England

Usage

ihdtrends

Format

A data frame with columns:

gender: "male" or "female".

age: Year of age.

year: Calendar year.

p2017: Estimated ratio between the outcome in the calendar year and the outcome in 2017.

outcome: Outcome referred to (incidence or case fatality).

Details

The data were interpolated and smoothed to produce a matrix by year of age and calendar year, using the script at <https://github.com/chjackson/disbayes/blob/master/data-raw/trends.r>.

Source

Scarborough, P., Wickramasinghe, K., Bhatnagar, P. and Rayner, M. (2011) Trends in coronary heart disease, 1961-2001. British Heart Foundation.

Smolina, K., Wright, F. L., Rayner, M. and Goldacre, M. J. (2012) Determinants of the decline in mortality from acute myocardial infarction in England between 2002 and 2010: linked national database study. BMJ, 344.

British Heart Foundation (2020) Heart and Circulatory Disease Statistics 2020. British Heart Foundation.

loo.disbayes	<i>Leave-one-out cross validation for disbayes models</i>
--------------	---

Description

Leave-one-out cross validation for disbayes models

Usage

```
## S3 method for class 'disbayes'
loo(x, outcome = "overall", ...)
```

Arguments

x	A model fitted by disbayes . Any of the computation methods are supported.
outcome	Either "overall", to assess the fit to all data, or one of "inc", "prev", "mort" or "rem", to assess the fit to the incidence data, prevalence data, mortality data or remission data, respectively.
...	Other arguments (currently unused).

Value

An object of class "loo" as defined by the **loo** package.

See Also

[loo_indiv](#) to return tidied observation-specific contributions to the overall model fit computed here.

loo_indiv	<i>Extract observation-specific contributions from a disbayes leave-one-out cross validation</i>
-----------	--

Description

Extract observation-specific contributions from a disbayes leave-one-out cross validation

Usage

```
loo_indiv(x, agg = FALSE)

loo_disbayes(x, agg = FALSE)
```

Arguments

x	For loo_indiv, an object returned by loo.disbayes . For looi_disbayes, an object returned by disbayes .
agg	If TRUE then the observation-specific contributions are aggregated over outcome type, returning a data frame with one row for each of incidence, prevalence, mortality and remission (if remission is included in the model), and one column for each of "elpd_loo", "p_loo" and "looic".

Value

A data frame with one row per observed age-specific mortality, incidence, prevalence and/or remission age-specific data-point, containing leave-one-out cross validation statistics representing how well the model would predict that observation if it were left out of the fit.

These are computed with the **loo** package.

loo_indiv acts on the objects that are returned by running [loo](#) on [disbayes](#) objects. looi_disbayes acts directly on [disbayes](#) objects. Both of those functions return a data frame with LOO contributions for each data point.

Functions

- looi_disbayes(): Observation-level leave-one-out cross validation statistics for a disbayes model

plot.disbayes	<i>Quick and dirty plot of estimates from disbayes models against age</i>
---------------	---

Description

Posterior medians and 95

Usage

```
## S3 method for class 'disbayes'
plot(x, variable = "cf", ...)
```

Arguments

x	Object returned by disbayes
variable	Name of the variable of interest to plot against age, by default case fatality rates.
...	Other arguments. Currently unused

Value

A ggplot2 object that can be printed to show the plot, or customised by adding geoms.

Better plots can be drawn by tidying the object returned by [disbayes](#), and using ggplot2 directly on the tidy data frame that this produces. See the vignette for examples.

plot.disbayes_hier	<i>Quick plot of estimates from hierarchical disbayes models against age</i>
--------------------	--

Description

Posterior medians and 95% credible intervals for a quantity of interest are plotted against year of age.

Usage

```
## S3 method for class 'disbayes_hier'
plot(x, variable = "cf", ci = FALSE, ...)
```

Arguments

x	Object returned by disbayes_hier
variable	Name of the variable of interest to plot against age, by default case fatality rates.
ci	Show 95% credible intervals with ribbons.
...	Other arguments. Currently unused

Value

A ggplot2 object that can be printed to show the plot, or customised by adding geoms.

Better plots can be drawn by tidying the object returned by disbayes, and using ggplot2 directly on the tidy data frame that this produces. See the vignette for examples.

plotfit_data_disbayes	<i>Create tidy data for a check of observed against fitted outcome probability estimates from disbayes</i>
-----------------------	--

Description

Create tidy data for a check of observed against fitted outcome probability estimates from disbayes

Usage

```
plotfit_data_disbayes(x)
```

Arguments

x	Fitted model from disbayes
---	--

Value

A data frame containing observed data in the form of outcome probabilities, as extracted by [tidy_obsdat](#), and estimates of the corresponding probability parameters from the fitted model.

plotfit_disbayes	<i>Graphical check of observed against fitted outcome probabilities from disbayes</i>
------------------	---

Description

The data behind the plot can be produced using `plotfit_data_disbayes`, to enable customised plots to be produced by hand with `ggplot2`.

Usage

```
plotfit_disbayes(x, agemin = 50)
```

Arguments

x	Fitted model from <code>disbayes</code>
agemin	Minimum age to show on the horizontal axis.

Value

A `ggplot2` object containing the plot.

tidy.disbayes	<i>Form a tidy data frame from the estimates from a disbayes fit</i>
---------------	--

Description

Simply call this after fitting `disbayes`, as, e.g.

```
res <- disbayes(...)
tidy(res)
```

Usage

```
## S3 method for class 'disbayes'
tidy(x, startyear = 1, ...)

## S3 method for class 'disbayes_hier'
tidy(x, ...)
```

Arguments

x	Object returned by <code>disbayes</code>
startyear	Only used for models with time trends. Numeric year represented by year 1 in the data. For example, set this to 1918 to convert years 1-100 to years 1918-2017.
...	Other arguments (currently unused)

Value

A data frame with one row per model parameter, giving summary statistics for the posterior distribution for that parameter. For array parameters, e.g. those that depend on age or area, then the age and area are returned in separate columns, to make it easier to summarise and plot the results, e.g. using **ggplot2**.

Model parameters might include, depending on the model specification,

- `cf`, `inc`, `rem`: Case fatality, incidence, remission rates
- `inc_prob`, `rem_prob`, `mort_prob`, `cf_prob`: Annual incidence, remission, mortality and case fatality risks (probabilities).
- `prev_prob` Prevalence (probability).
- `state_probs` State occupancy probabilities.
- `beta`, `beta_inc` Coefficients of the spline basis for case fatality and incidence respectively.
- `lambda_cf`, `lambda_inc` Smoothness parameters of the spline functions.
- `prevzero` Prevalence at age zero
- `cfbase` Case fatality at the baseline age (only in models where case fatality is increasing).
- `dcf` Annual increments in case fatality (only in models where case fatality is increasing).
- `bias_loghr` Log hazard ratio describing bias in case fatality between datasets (only in models where `bias_model` has been set).

For models with time trends:

- `cf_yr`, `inc_yr`, `state_probs_yr` Case fatality rates, incidence rates and state occupancy probabilities in years prior to the current year. `cf` and `inc` refer to the rates for the current year, the one represented in the data.

Only for hierarchical models:

- `mean_inter`, `mean_slope`, `sd_inter`, `sd_slope`. Mean and standard deviation for random effects distribution for the intercept and slope of log case fatality.
- `lambda_cf_male`, `lambda_inc_male`. Smoothness of the additive gender effect on case fatality and incidence.
- `bareat` Area-level contribution to spline basis coefficients.
- `barea` Normalised spline basis coefficients.

Functions

- `tidy(disbayes_hier)`: Tidy method for hierarchical disbayes models

`tidy_obsdat`*Extract observed data from a disbayes model fit*

Description

Extract observed data from a disbayes model fit

Usage

```
tidy_obsdat(x)
```

Arguments

`x` Fitted [disbayes](#) model

Value

A data frame with columns `num` and `denom` giving the incidence, prevalence and mortality (and remission if used) numerators and denominators used in the model fit. The column `var` indicates which of incidence, prevalence etc. the numbers refer to. The column `prob` is derived as `num` divided by `denom`. Columns `lower` and `upper` define credible intervals for the "data-based" point estimate `prob`, obtained from the Beta posterior assuming a $\text{Beta}(0.5, 0.5)$ prior.

This "data-based" point estimate can be compared with estimates from the model using the functions [plotfit_data_disbayes](#) and [plotfit_disbayes](#).

Index

* datasets

ihdengland, [17](#)

ihdtrends, [18](#)

ci2num, [3](#), [6](#), [12](#), [17](#)

conflict_disbayes, [4](#)

disbayes, [4](#), [5](#), [11](#), [19–22](#), [24](#)

disbayes-package, [2](#)

disbayes_hier, [10](#), [21](#)

ihdengland, [17](#)

ihdtrends, [18](#)

loo, [20](#)

loo.disbayes, [19](#), [20](#)

loo_indiv, [19](#), [19](#)

looi_disbayes, [20](#)

looi_disbayes(loo_indiv), [19](#)

pivot_wider, [8](#)

plot.disbayes, [20](#)

plot.disbayes_hier, [21](#)

plotfit_data_disbayes, [21](#), [22](#), [24](#)

plotfit_disbayes, [22](#), [24](#)

rstan::optimizing(), [9](#), [10](#), [15](#), [16](#)

rstan::sampling(), [9](#), [10](#), [15](#), [16](#)

rstan::vb(), [9](#), [16](#)

stan, [10](#), [16](#)

tidy.disbayes, [10](#), [22](#)

tidy.disbayes_hier(tidy.disbayes), [22](#)

tidy_obsdat, [21](#), [24](#)